


ACS

ACSF-328-FL









CONSTRUCTION:

ELECTROPLATED GALVANIZED CLOSED END CAP
ELECTROPLATED GALVANIZED OPEN END CAP WITH SQUARE FLANGE
G-90 GALVANIZED EXPANDED METAL INNER CORE
G-90 GALVANIZED EXPANDED METAL OUTER RETAINER
125 SQUARE FEET FIRE RETARDANT NANOFIBER MEDIA
ONE PIECE MOLDED ISOPRENE SEALING GASKET APPLIED TO ONE OPEN END CAP
PVC SEALANT APPLIED TO BOTH ENDS
PACKAGED ONE PER CARTON
WEIGHT: 8 POUNDS

EFFICIENCY: (INITIAL 52.2-2007)

INITIAL RESISTANCE: 0.74 INCHES W.G.
FINAL RESISTANCE: 4.00 INCHES W.G.
E1 (%) COMPOSITE MINIMUM AVERAGE EFFICIENCY 0.30 - 1.00 MICRON:> 95%
E2 (%) COMPOSITE MINIMUM AVERAGE EFFICIENCY 1.0 - 3.0 MICRON:> 99%

E2 (%) COMPOSITE MINIMUM AVERAGE EFFICIENCY 1.0 – 3.0 MICRON: >99% E3 (%) COMPOSITE MINIMUM AVERAGE EFFICIENCY 3.0 – 10.0 MICRON: >100% MINIMUM EFFICIENCY REPORTING VALUE: MERV 15 @ 1000 CFM

MINIMUM EFFICIENCY REPORTING VALUE: (PER ASHRAE 52.2 – 2012)
MERV 15

MEDIA:

ULTRA- LIFE MEDIA IS A DUAL LAYER COMPOSITION DESIGNED TO OFFER HIGH INITIAL EFFICIENCY. THE SURFACE LOADING CHARACTERISTICS ALLOW EXCELLENT RELEASE CAPACITY TO PROMOTE LONG LIFE NECESSARY IN PULSE COLLECTOR APPLICATIONS ANTIMONY TRIOXIDE IS USED AS THE FLAME RETARDANT AGENT